

MENU**SEARCH****INDEX****JAPANESE**

1 / 1

PATENT ABSTRACTS OF JAPAN(11)Publication number : **60-226826**(43)Date of publication of application : **12.11.1985**

(51)Int.Cl.

A61K 47/00

A61K 7/00

C01B 33/18

(21)Application number : **59-084818**(71)Applicant : **SHIONOGI & CO LTD**(22)Date of filing : **25.04.1984**(72)Inventor : **UNO IKUO
MAEDA KYUZO
NISHIYAMA TAKASHI****(54) SILICA CARRIER FOR DRUG**

(57)Abstract:

PURPOSE: A silica carrier for drug useful as a carrier for drugs, cosmetics, etc., capable of suppressing decomposition of a main drug, etc. as much as possible, comprising finely-ground silicic acid hydrate wherein content of aluminum oxide shown by dry base except water is adjusted to \leq a specific value.

CONSTITUTION: Finely-ground silicic acid hydrate having Al_2O_3 content shown dry base except water of $\leq 0.35\text{wt}\%$, preferably $\leq 0.25\text{wt}\%$ is used as a carrier for drugs. It has been found that as an amount of Al_2O_3 contained in silicic acid hydrate as the carrier is increased, decomposition of a chemical component such as a main drug, etc. supported on the silicic acid is promoted. It has been found that the maximum content of Al_2O_3 in the carrier capable of suppressing decomposition of the main drug, etc. to a preferable range is $\leq 0.35\text{wt}\%$. Further, in the case, the use of finely-ground silicic acid hydrate having $\leq 3.5\text{wt}\%$, preferably $\leq 3.0\text{wt}\%$ ignition loss value is more effective.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]